Printing date 05/21/2015

Reviewed on 05/21/2015

1 Identification

- · Product identifier
- · Trade name: Ferro-Galv[®] 40FG
- · Application of the substance / the mixture Corrosion inhibitors
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Daubert Cromwell

12701 S. Ridgeway Ave Alsip, IL 60803 708-293-7750

 Information department: info@daubertcromwell.com
 Emergency telephone number: CHEMTREC: 800-424-9300 (U.S.), +1-703-527-3887 (International; Call collect)

2 Hazard(s) identification

Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).
Label elements
GHS label elements None
Hazard pictograms None
Signal word None
Hazard statements None
Classification system:

· NFPA ratings (scale 0 - 4)

$$\begin{array}{c} 1 \\ 0 \\ 0 \\ 0 \\ \end{array}$$

$$\begin{array}{c} Health = 0 \\ Fire = 1 \\ Reactivity = 0 \\ Fire = 1 \\ Reactivity = 0 \\ Fire = 1 \\ Fire = 1$$

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

= 0

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
57-55-6	propane-1,2-diol	2.5-<10%
7632-00-0	sodium nitrite	2.5-<5%

(Contd. on page 2)

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: Ferro-Galv[®] 40FG

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

US

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: Ferro-Galv® 40FG

(Contd. of page 2)

· Control parameters

· Components with limit values that require monitoring at the workplace:

57-55-6 propane-1,2-diol

WEEL Long-term value: 10 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- **Breathing equipment:** Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

9 Physical and chemical properties

· Information on basic physical and	chemical properties	
· General Information		
· Appearance: Form:	Solid	
Form: Color:	2000	
· Odor:	According to product specification Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	$> 34 \ ^{\circ}C \ (> 93 \ ^{\circ}F)$	
· Flash point:	101 °C (214 °F)	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	371 °C (700 °F)	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	2.6 Vol %	
		(Contd. on page 4

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: Ferro-Galv[®] 40FG

	(Contd. of pa
Upper:	12.6 Vol %
· Vapor pressure at 20 °C (68 °F):	0.1 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	8.1 %
VOC content:	8.1 %
Solids content:	87.3 %
• Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7632-00-0 sodium nitrite

Oral LD50 85 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 5)

- US

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: Ferro-Galv[®] 40FG

(Contd. of page 4)

- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards:		
Marine pollutant:	No	
· Special precautions for user	Not applicable.	

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: Ferro-Galv[®] 40FG

(Contd. of page 5)

• Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

\cdot Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

7632-00-0 sodium nitrite

· TSCA (Toxic Substances Control Act) (Substances not listed):

All ingredients are listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity: None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

57-13-6 urea

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements None

· Hazard pictograms None

· Signal word None

• Hazard statements None

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Dr. Dhoot

· Date of preparation / last revision 05/21/2015 / -

(Contd. on page 7)

II

[·]US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: Ferro-Galv[®] 40FG

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent